

North Coast Watershed Assessment Program

Gualala Watershed Synthesis Report



The mission of the North Coast Watershed Assessment Program is to conserve and improve California's north coast anadromous salmonid populations by conducting, in cooperation with public and private landowners, systematic multi-scale assessments of watershed conditions to determine factors affecting salmonid production and recommend measures for watershed improvements.

DRAFT

List of Figures

Figure 1: Map of basins	30
Figure 2: Gualala River watershed w/ NCWAP Subbasins	33
Figure 3: 1961 aerial photo, Post World War II	39
Figure 4. Harvest Operations 1942-1960.....	40
Figure 5	52
Figure 6: Relationship between Water Temperature and Suitability for Salmon.....	53
Figure 7: North Fork Gualala River Basin.....	59
Figure 8: 1936 Bank to Bank stream shade canopy exposure (light blue)	60
Figure 9: Harvest operations 1952-1964 & streamside roads/landings1952-1968.....	61
Figure 10: Bank to bank shade canopy exposure (white).	62
Figure 11: NF Gualala Timber Harvest 1991-2001	63
Figure 12: NF Gualala Stream Gradients	63
Figure 13: Median Particle Sizes for North Fork Subbasin	67
Figure 14: Percent substrate for North Fork Gualala Basin 1992-1997	68
Figure 15: Results of Gualala TMDL Aerial Photo Inventory	69
Figure 16: Maximum Weekly Temperatures 1994-2001.....	70
Figure 17: Maximum MWATs 1994-2001	71
Figure 18: Rockpile Creek subbasin	80
Figure 19: 1941 Rockpile Creek overstory canopy exposure	81
Figure 20: Tractor Harvest Operations 1952-1964.....	82
Figure 21: 1981 Bank to Bank shade canopy exposure	83
Figure 22: Median particle size sampling - Rockpile Creek.....	86
Figure 23: Rockpile Creek Temperature & D50 sites.....	87
Figure 24: Maximum Weekly Avg. temperatures	88
Figure 25: Buckeye Creek Basin	94
Figure 26: 1942 Bank to bank shade Canopy Exposure	95
Figure 27: Buckeye Basin - Harvest Operations 1952-1964.....	96
Figure 28: Grasshopper Creek.....	97
Figure 29: 20 yr. intervalstream channel.....	98
Figure 30: 1981 - Bank to bank shade canopy exposure	99
Figure 31: Buckeye Creek sampling sites	103
Figure 32: Median particle sizes in Buckeye Creek Subbasin.....	104
Figure 33: MWAT - lower three miles - 1994-2001	105
Figure 34: Wheatfield Fork Subbasin.....	111
Figure 35: 1942 Bank to bank streamside canopy cover.....	112
Figure 36: TIMBER HARVEST OPERATIONS 1952-1964	113
Figure 37: Conifer Block removal exposing Tobacco Ck.....	113
Figure 38: Central Landing Complex - Main Stem Fuller Ck.	114
Figure 39: Tobacco Ck. 1964	115
Figure 40: Wheatfield Fork - Annapolis Fire Station.....	115
Figure 41: Sullivan Creek, 1965	116
Figure 42: Bank to bank shade canopy exposure 1981	116
Figure 43: Lower Wheatfield Fork 1942	117
Figure 44: Wheatfield Basin 1961	117

Figure 45: 1984 photo	117
Figure 46: Fuller Creek 1999.....	118
Figure 47: Stream channel measurements-Wheatfield Fork	118
Figure 48: Median particle sizes - Wheatfield Fork 1997/2000	125
Figure 49: MWAT - Wheatfield Fork 1995-2001.....	126
Figure 50: Wheatfield Fork Subbasin.....	127
Figure 51: Upper South Fork, June 1965	133
Figure 52: Conversion Project	134
Figure 53: South Fork Gualala River Basin	136
Figure 54: MWAT - South Fork Subbasin/Gualala Mainstream	137
Figure 55: MWAT - 1994-2001	138